


moby

Ultrathin wide screen joystick
automatic controller




SR Series Interceptors



SR Series Interceptors

We proudly present our new composite SR pneumatic trim tabs interceptors series, based on the patented technology of HydroTab. Composite material and compact eye-catching look without any compromise regarding the robustness and the well-known fail free operation of our interceptors. A product open to the sea without any need of sealing. Seamlessly blends with any transom enhancing its design.



Patented

What's New

- Fail free operation under any amount of fouling build up (proven and tested)
- Reliability and robustness that outperform even the most expensive systems
- The best value for money system in the market
- Open to the sea - No requirement of sealing - Fail free

Moby

Ultrathin wide screen joystick automatic controller

Hydrotab Innovates once more presenting Moby. The new ultrathin wide screen joystick automatic controller for Hydrotab trim tabs interceptors.

Designed and manufactured to get the full potential of your Hydrotab interceptors by optimizing your boat cruising experience and save fuel.

- | | |
|---|---|
|  True NMEA2K system
no extra cables |  Steering Assistance |
|  Auto Roll and
Auto Trim functions |  New Re-designed
Friendly GUI |
|  Built-in 10Hz GPS |  Large 3.5" TFT
Intelligent Display |
|  Built-in 3D Gyro and
3D Accelerometer |  Fully or light loaded
selection function |
|  Auto Diagnostics |  Multilingual |



- Ultra thin minimal design that blends with any panel and dashboard
- New innovative joystick system IP68 with no moving parts. Ideal use for waterjet equipped boat
- New streamlined intuitive GUI (Graphic User Interface)
- Scratch proof gorilla glass antireflective screen
- Direct NMEA 2000 backbone installation. No need for extra wiring
- Wide crisp color screen 3,5 inch
- Complete system with integrated IMU-GPS –Antenna
- Easy data exchange for custom dashboard applications





www.hydrotab.gr



Olympic Engineering Ltd
4 Papazoglou str, GR 17778
Athens, Greece
TEL: +30 210 48 36 343,5,6
FAX: +30 210 48 36 342
E-mail: info@hydrotab.gr
www.hydrotab.gr

